

Production protocol Dexamethasone (1 mg/mL) with Liquifine® pH4 liquid



Preparation instructions

1. Weigh the required quantity of dexamethasone.
2. Reduce the particles to a fine powder by the use of a mortar and vessel, if necessary.
3. Humidify the powder with a limited quantity of Liquifine® pH4 liquid and homogenize.
4. Add Liquifine® pH4 liquid following the geometric dilution method, to the desired volume.

Production report

Preparation date	/ /	Galenic type	Suspension
Batch number		Volume	
Raw material	Number analysis register	Required Quantity	Weighed quantity
Dexamethasone		g	g
Liquifine® pH4 liquid		Ad mL	Ad mL

Tarra

• _____

Quality control

• Homogeneity: _____

Stability

• 180 days

Storage and labelling

- Protected from light – Room temperature
- Shake before use

Name and Signature Compounder	Name and Signature Pharmacist

MAGIS PHARMA

Keizershoek 336, 2550 Kontich, T: +32 3 457 11 76, F: +32 3 457 43 40
info@magis-pharma.be, www.magis-pharma.be