

# Production protocol Omeprazole suspension (2-5 mg/mL) with Liquifine® pH4 liquid 500mL



## Preparation instructions

1. Weigh the required quantity of omeprazole, as well as 4.04 g sodium bicarbonate (per 100 mL suspension).
2. Reduce the particles to a fine powder by the use of a mortar and vessel, if necessary.
3. Humidify the powder with a limited quantity of Liquifine® pH4 liquid and homogenize.
4. Add Liquifine® pH4 liquid following the geometric dilution method, to the desired volume.

## Production report

Preparation date	/ /	Galenic type	Suspension
Batch number		Volume	
Raw material	Number analysis register	Required Quantity	Weighed quantity
Omeprazole		g	g
Sodium bicarbonate		g	g
Liquifine® pH4 liquid		Ad mL	Ad mL

## Tarra

- \_\_\_\_\_

## Quality control

- Homogeneity: \_\_\_\_\_

## Stability

- 60 days

## Storage and labelling

- Protected from light – Fridge
- Shake before use

Name and Signature Compounder	Name and Signature Pharmacist

## MAGIS PHARMA

Keizershoek 336, 2550 Kontich, T: +32 3 457 11 76, F: +32 3 457 43 40  
info@magis-pharma.be, www.magis-pharma.be